ALLERGY PARTNERS

Allergy Testing Information & Antihistamine Avoidance List

Same day allergy skin testing is performed at discretion of the medical provider at visit and is not guaranteed. Some medications can interfere with allergy skin testing. For most accurate results if same day testing is possible, please stop antihistamines for 5-7 days prior to appt. If you have a question if it's safe to stop, please contact prescribing physician.

Testing is often performed on arms or back. Please wear comfortable clothing that can be removed if necessary. Do not use oil, cream or lotion on the back or arms for 24 hours prior to skin testing.

PLEASE STOP THE FOLLOWING MEDICATIONS FOR 7 DAYS PRIOR TO YOUR APPOINTMENT:

- Cyproheptadine (Periactin)
- Hydroxyzine (Atarax/Vistaril)
- Montelucast (Singulair)

- Desloratidine (Clarinex)
- · Levocetirizine (Xyzal)

PLEASE STOP THE FOLLOWING MEDICATIONS FOR 5 DAYS PRIOR TO YOUR APPOINTMENT:

Sedating Allergy Medications (All Forms)

- Advil Allergy
- Alahist
- AlleRX
- Allergy Relief Medication
- Brompheniramine (Bromfed)
- Carbinoxamine

- Chlorpheniramine
- · Clor-Trimeton
- Diphenhydramine (Benadryl)
- Doxylamine
- Extendryl

- Ketotifen
- Palgic
- Polyhistine
- Pyrilamine (also found in Midol)
- Tylenol Allergy

Non-Sedating Allergy Medications (All Forms)

- Cetirizine (Zyrtec, Wal-Zyr)
- Fexofenadine (Allegra)

Famotidine (Pepcid)

• Loratadine (Claritin, Alavert)

Nasal Sprays

- Azelastine (Astelin, Astepro)
- Dymista

Olopatadine (Patanase)

Stomach Acid Reducers

- Cimetidine (Tagamet)
- Cough/Cold /Sinus Remedies
- Actifed
- Advil Cold/Sinus
- Aleve Cold
- Alka Seltzer Plus/Cold
- Allerest
- BC Cold Powder
- · Benylin Cough
- Comtrex
- Contac
- Coricidin
- Co-Tylenol

- Dimetane
- Dimetapp
- Drixoral
- Norel SR/MD
- Nyquil
- Pediacare
- Percogesic
- Phenyltoloxamine
- Robitussin (many forms)
- Rondec
- Rynatan/R-Tannate

- Semprex-D
- Sinutab
- Sudafed Cold + Allergy
- Tanafed
- Theraflu (All forms)
- Time Hist
- Triaminic (All forms)
- Tussionex
- Tylenol Cold+Sinus
- Vicks 44 M
- Zicam

Sleep Aids

- Advil PM
- Alertec (Modafinil)
- Doxepin (Sinequan)
- Doxylamine
- Excedrin PM
- · Night Time Sleep Aid
- Nytol
- Sominex
- Tylenol PM/Tylenol Sleep

Anti-Nausea/Vertigo Medications

- Chlorpromazine
- Dimenhydrinate (Dramamine)
- Meclinzine (Antivert)
- Prochlorperazine (Compazine)
- Promethazine (Phenergan)

Allergy Eye Drops

- Alcaftadine (Lastacaft) Epinastine (Elestat)
- Azelastine (Optivar)
- Ketotifen (Zaditor, Alaway, Zyrtec)
- Bepotastine (Bepreve)
- · Olopatadine (Patanol, Pataday, Pazeo)

Itch Relief Medications:

· Diphenhydramine (Benadryl)

Others:

- Cyclobenzaprine (Flexeril)
- Baclofen

Some other medications may also interfere with allergen skin testing **but you should continue to take them UNLESS the prescribing physician/clinician tells you it is safe to stop them for 5 days prior to your appointment.** Your Allergy Partners provider will discuss testing options at your visit if you have not been cleared to stop these medications:

Tricyclic Antidepressants

- Amitriptyline
- Amoxapine
- Desipramine (Norpramin)
- Doxepin (Sinequan)
- Imipramine (Tofranil)
- Nortriptyline (Pamelor)
- Protriptyline
- Trimipramine

Benzodiazepines

- Alprazolam (Xanax)
- Chlordiazepoxide (Librium)
- Clonazepam (Klonopin)
- Clorazepate (Tranxene)
- Diazepam (Valium)

- Estazolam (Prosom)
- Flurazepam (Dalmane)
- Lorazepam (Ativan)
- Midazolam (Versed)

- · Oxazepam (Serax)
- Quazepam (Doral)
- Temazepam (Restoril)
- Triazolam (Halcion)

Other

• Mirtazapine (Remeron)

Quetiapine (Seroquel)

Please continue taking all other medications as prescribed including:

- · Antibiotics
- Antidepressants
- · Asthma Medications including inhalers, nebulizer solutions, and Zafirlucast (Accolate)
- · Blood Pressure Medications
- · Cholesterol Medications
- Decongestants
- · Heart Medications
- · Injectable Medications
- Nasal Sprays- Except Astelin/Astepro/Patanase and Dymista
- · Steroids such as prednisone, prednisolone, solumedrol
- Thyroid Medications

Do not stop these medications without the approval of your physician.

Please call your local Allergy Partners office with any questions about these lists.